


PQ series



MATERIALS:SR-10P, SR-7P, SR-5P, SR-P4

TYPE	Dimension:mm							Weight:g
	A1	A2	B	C	D	E(REF)	H	
PQ2016	20.5±0.4	14.0±0.4	18.0±0.4	8.8±0.2	16.2±0.2	12.0	10.3±0.3	13
PQ2020	20.5±0.4	14.0±0.4	18.0±0.4	8.8±0.2	20.2±0.2	12.0	14.3±0.3	15
PQ2620	26.5±0.45	19.0±0.45	22.0±0.45	12.0±0.2	20.15±0.25	15.5	11.5±0.3	31
PQ2625	26.5±0.45	19.0±0.45	22.0±0.45	12.0±0.2	24.7±0.25	15.5	16.1±0.3	36
PQ3220	32.0±0.45	22.0±0.5	27.5±0.5	13.45±0.25	20.55±0.25	19.0	11.5±0.3	42
PQ3230	32.0±0.5	22.0±0.5	27.5±0.5	13.45±0.25	30.35±0.25	19.0	25.0±0.3	55
PQ3535	35.1±0.6	26.0±0.5	32.0±.5	14.35±0.25	34.75±0.25	23.5	29.5±0.3	73
PQ4040	40.5±0.9	28.0±0.8	37.0±0.6	14.9±0.3	39.75±0.25	28.0	29.5±0.3	95
PQ5050	50.0±0.7	32.0±0.6	44.0±0.7	20.0±0.35	49.95±0.25	31.5	36.1±0.3	195

TYPE	Effective parameter				AL (nH/N ²) (AL±25%)			
	C ₁ (mm ⁻¹)	A _e (mm ²)	L _e (mm)	V _e (mm ³)	SR-P4	SR-5P	SR-7P	SR-10P
PQ2016	0.605	62	37.1	2310	3880			
PQ2020	0.738	62	45.4	2790	3310			
PQ2620	0.391	119	46.3	5490	6170			
PQ2625	0.472	118	55.5	6530	5250			
PQ3220	0.323	170	55.5	9420	7310			
PQ3230	0.464	161	74.6	11970	5140			
PQ3535	0.448	196	87.9	17260	4860			
PQ4040	0.508	201	101.9	20450	4300			
PQ5050	0.346	328	113	37238	6720			